

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2592	hand near laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:36
L2	2668	hand near laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 16:36
L3	64	2 and hand adj (operabl\$4 or operat\$3 or operation\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 16:37
L4	96	hand adj (operabl\$4 or operat\$3 or operation\$4) near (light or laser)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 16:44
L5	29	4 and align\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 16:39
L6	26	5 and reference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 16:40
L7	7	6 and laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 16:40
L8	13	6 and (fasten\$4 or rivet or nut or stud or clip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 17:05

L9	5	6 and envelop\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 16:41
L10	2	6 and oblique\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 16:42
L11	0	6 and (vary or variabl\$4) near (project or projectabl\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 16:43
L12	0	6 and (vary or variabl\$4) near focus\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 16:43
L13	197	(light or laser) and (vary or variab\$5 or variabl\$4) near (project or projectabl\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 16:47
L14	9	13 and (light or laser or beam) near ((vary or variab\$5 or variabl\$4) near (project or projectabl\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 16:47
L15	3	14 and (reference or interference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 16:47
L16	3076	(light or laser) and (vary or variab\$5 or variabl\$4) near focus\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 16:47

L17	195	16 and (light or laser or beam) near ((vary or variab\$5 or variabl\$4) near (focus\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 16:47
L18	137	17 and (reference or interference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 16:47
L19	28	18 and (reference and interference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 16:49
L20	21	"4541055"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 16:49
L21	93760	(light or laser) and mark\$4 and (fasten\$4 or rivet or nut or stud or clip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 17:06
L22	2490	21 and reference near mark\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 17:06
L23	33	22 and (mark\$4 or reference) near (fasten\$4 or rivet or nut or stud or clip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 17:08
L24	5	"6134940"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 17:08